

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	826	firewall\$1 with interface\$1	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:32
L2	103	L1 with ip	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:32
L3	5	host with (ip near3 compliant\$1)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:32
L4	292	firewall\$1 with (dns conver\$6)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:32
L5	1	L3 and firewall\$1	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:32
L6	17	firewall\$1 with (virtual\$1 near3 host\$4)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:32
L7	481	wesinger	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:32
L8	10	L6 and L4	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:32
L9	18	wesinger near2 ralph	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:32
L10	12	L9 and virtual	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:32
L11	7	L10 and segment	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:32
L12	26	coley near3 chris\$7	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:32
L13	1	L9 and (ip near3 compliant\$1)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:32
L14	1	firewall\$1 with (ip near3 compliant\$1)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:32

o/k

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	26330	(virtual\$2) near3 (host\$2 computer\$1 machine\$1 provider\$1 server\$1 network\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L2	19541	(firewall\$1 prox\$3) and (map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L3	4288	L2 and L1	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L4	814	L3 and (dns (domain\$1 near2 name\$1 near2 server\$1))	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L5	358009	(connect\$4 request\$4) near4 (map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L6	814	L3 AND L4	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L7	787	L6 and (ip (internet\$1 near2 protocol\$1))	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L8	581	L7 and L5	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L9	576	L8 and (configur\$7 interfac\$4)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L10	673	((726/11) or (726/12) or (726/14) or (726/15)).CCLS.	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L11	322	L10 and virtual\$1	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L12	232	L11 and (firewall\$1 prox\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L13	232	L12 and (server\$1 host\$3 network\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L14	10880	(virtual\$2) near2 (host\$2 server\$1 network\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L15	19541	(firewall\$1 prox\$3) and (map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L16	26330	(virtual\$2) near3 (host\$2 computer\$1 machine\$1 provider\$1 server\$1 network\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L17	4288	L15 and L16	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L18	814	L17 and (dns (domain\$1 near2 name\$1 near2 server\$1))	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22

EAST Search History

L19	358009	(connect\$4 request\$4) near4 (map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L20	10880	(virtual\$2) near2 (host\$2 server\$1 network\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L21	2731	L20 and (firewall\$1 prox\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L22	2673	L21 and (dns (domain\$1 near2 name\$1 near2 server\$1) map\$3 match\$3 associat\$4)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L23	55423	loadshar\$4 ((load\$2 packet\$1) near3 (shar\$3 balanc\$3 distribut\$4))	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L24	673	((726/11) or (726/12) or (726/14) or (726/15)).CCLS.	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L25	322	L24 and virtual\$1	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L26	232	L25 and (firewall\$1 prox\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L27	232	L26 and (server\$1 host\$3 network\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L28	26330	(virtual\$2) near3 (host\$2 computer\$1 machine\$1 provider\$1 server\$1 network\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L29	87	L27 and (connect\$3 near3 request\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L30	68	L29 and L28	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L31	4310	L28 and (firewall\$1 prox\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L32	3855	L31 and (connect\$3 and request\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L33	3842	L32 and (dns (domain\$1 near2 name\$1 near2 server\$1) map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L34	2724	L21 and (dns (domain\$1 near2 name\$1 near2 server\$1) map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L35	2041	virtual\$3 near3 host\$1	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L36	107	L35 near6 set\$1	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L37	55423	loadshar\$4 ((load\$2 packet\$1) near3 (shar\$3 balanc\$3 distribut\$4))	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22

EAST Search History

L38	349	L9 and L37	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L39	1804	(set\$1 pluralit\$4 many couple) near2 L1	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L40	43	L38 and L39	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L41	284	L2 and L39	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L42	77	L41 and (dns (domain\$1 near2 name\$1 near2 server\$1))	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L43	87	L13 and (connect\$3 near3 request\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L44	26330	(virtual\$2) near3 (host\$2 computer\$1 machine\$1 provider\$1 server\$1 network\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L45	68	L43 and L44	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L46	68	L45 and (firewall\$1 prox\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L47	2955	(set\$1 pluralit\$4 many couple) near5 L16	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L48	484	(firewall\$1 prox\$3) and L47	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L49	1804	(set\$1 pluralit\$4 many couple) near2 L16	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L50	288	(firewall\$1 prox\$3) and L49	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L51	77	L50 and (dns (domain\$1 near2 name\$1 near2 server\$1))	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L52	126	L48 and (dns (domain\$1 near2 name\$1 near2 server\$1))	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L53	49	L52 not L51	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L54	814	L17 AND L18	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L55	787	L54 and (ip (internet\$1 near2 protocol\$1))	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L56	581	L55 and L19	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L57	576	L56 and (configur\$7 interfac\$4)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L58	349	L57 and L23	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22

EAST Search History

L59	43	L58 and L49	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L60	284	L15 and L49	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L61	77	L60 and (dns (domain\$1 near2 name\$1 near2 server\$1))	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L62	68	L30 and (firewall\$1 prox\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L63	10	L36 with firewall\$1	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L64	2955	(set\$1 pluralit\$4 many couple) near5 L1	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L65	484	(firewall\$1 prox\$3) and L64	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L66	126	L65 and (dns (domain\$1 near2 name\$1 near2 server\$1))	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L67	416	L7 and L37	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L68	335	L67 not L66	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L69	335	L68 not L40	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L70	169	(connect\$4 near3 request\$4) and L69	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L71	326	connect\$4 and request\$4 and L69	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L72	157	L71 not L70	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L73	358009	(connect\$4 request\$4) near4 (map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L74	4310	L44 and (firewall\$1 prox\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L75	3855	L74 and (connect\$3 and request\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L76	772	L75 and (dns (domain\$1 near2 name\$1 near2 server\$1))	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L77	579	L76 and L73	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L78	193	L76 not L77	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L79	416	L55 and L23	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22

EAST Search History

L80	335	L79 not L52	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L81	335	L80 not L59	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L82	169	(connect\$4 near3 request\$4) and L81	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L83	326	connect\$4 and request\$4 and L81	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L84	157	L83 not L82	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L85	772	L32 and (dns (domain\$1 near2 name\$1 near2 server\$1))	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L86	358009	(connect\$4 request\$4) near4 (map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L87	579	L85 and L86	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L88	193	L85 not L87	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L89	2731	L14 and (firewall\$1 prox\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L90	2322	L89 and (dns (domain\$1 near2 name\$1 near2 server\$1) map\$3 match\$3 association\$1)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L91	2322	L21 and (dns (domain\$1 near2 name\$1 near2 server\$1) map\$3 match\$3 association\$1)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L92	288	(firewall\$1 prox\$3) and L39	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L93	77	L92 and (dns (domain\$1 near2 name\$1 near2 server\$1))	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L94	2724	L89 and (dns (domain\$1 near2 name\$1 near2 server\$1) map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L95	3842	L75 and (dns (domain\$1 near2 name\$1 near2 server\$1) map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22
L96	2673	L89 and (dns (domain\$1 near2 name\$1 near2 server\$1) map\$3 match\$3 associat\$4)	USPAT; IBM_TDB	OR	OFF	2008/01/25 13:22